

Table of Contents

SECTION 3: ADMINISTERING OSDATE.....	5
3.1 SETTING SITE'S GLOBAL SETTINGS	5
3.1.1 Site Information	5
3.1.1.1 Site Name	6
3.1.1.2 Site Title	6
3.1.1.3 Site Banner	6
3.1.1.4 Default Admin language	6
3.1.1.5 Cookie Prefix	6
3.1.1.6 Site Administrator's Name.....	6
3.1.1.7 Site Administrator's E-Mail	7
3.1.1.8 Feedback Email Address.....	7
3.1.1.9 Copyright text	7
3.1.1.10 User Menu to be used.....	7
3.1.1.11 Admin Menu to be used.....	7
3.1.1.12 Display, but disable, menu items	7
3.1.1.13 Banner advertisements in email.....	7
3.1.1.14 Auto time-out	7
3.1.1.15 Captcha Length.....	8
3.1.1.16 Admin Notification.....	8
3.1.1.17 Disable caching mechanism	8
3.1.1.18 Cached page life	8
3.1.1.19 Site theme/skin.....	8
3.1.1.20 New users section profile display method	8
3.1.1.21 Number of last new profiles to be displayed on home page.....	8
3.1.1.22 Profile display method for Featured Profiles display section.....	9
3.1.1.23 Number of Featured Profiles to be displayed on home page	9
3.1.1.24 Profile display method for Recent Active Profiles display section	9
3.1.1.25 Number of Recent Active Profiles to be displayed on home page	9
3.1.1.26 Profile display method for Random Profiles display section.....	9

3.1.1.27	Number of Random Profiles to be displayed on home page.....	9
3.1.1.28	Number of New Members to be listed.....	9
3.1.1.29	New members to be listed for last xx days.....	9
3.1.1.30	Number of latest views and winks to be listed.....	9
3.1.1.31	Latest views and winks to be listed since xx days.....	10
3.1.1.32	Display list of xx events for the day.....	10
3.1.1.33	Bypass user look gender matching in searches.....	10
3.1.1.34	Use extended search heading given in question.....	10
3.1.1.35	Default sort order for searches.....	11
3.1.1.36	Profile display method to be used to show Advanced search results.....	11
3.1.1.37	Profile display method to be used to show Simple search results.....	11
3.1.1.38	Profile display method to be used to show MyMatches Search results....	11
3.1.1.39	Installed forum.....	11
3.1.1.40	Forum path.....	12
3.1.1.41	Show forum in the same window.....	12
3.1.1.42	FlashBB is installed with the forum.....	12
3.1.1.43	Use javascript popups for profiles.....	12
3.1.1.44	Feedback only from logged in user.....	12
3.1.1.45	Accept support requests.....	12
3.1.1.46	Enable shoutbox.....	12
3.1.1.47	Shoutbox refresh interval.....	13
3.1.1.48	Number of shoutbox messages to be displayed.....	13
3.1.1.49	Maximum number of shoutbox messages to be kept in system.....	13
3.1.1.50	Number of latest messages to be shown to the user.....	13
3.1.1.51	Number of IM messages to be kept in the system received by one user.	13
3.1.1.52	Maximum length of one message for IM.....	13
3.1.1.53	Interval for refreshing of IM messages.....	13
3.1.1.54	Number of stories to be shown in menu panel listing.....	13
3.1.1.55	Number of words to display in short story.....	13
3.1.1.56	Allow management of countries/states/cities.....	14
3.1.1.57	Starting and ending number of years for birth date field calculation.....	14
3.1.1.58	Default value for start age and end age range in quick search.....	14

3.1.1.59	Number of words to display in short article text	14
3.1.1.60	Number of news items to display	14
3.1.1.61	Number of words to display in short news	14
3.1.1.62	Price per referral for affiliates.....	14
3.1.1.63	Default status of new affiliate.....	14
3.1.1.64	Maximum allowed height and width of the Banner.....	14
3.1.1.65	Server time zone.....	14
3.1.2	<i>User Management Controls</i>	15
3.1.2.1	Bypass registration confirmation by the user	15
3.1.2.2	By default, profile to be active or not	15
3.1.2.3	When a profile is modified, make status "Pending" for admin approval ...	15
3.1.2.4	The default level of access to the use	15
3.1.2.5	The level of access for the user after current level expires	15
3.1.2.6	Minimum and Maximum password length	16
3.1.2.7	Minimum and Maximum username length.....	16
3.1.2.8	Maximum number of Blog Stories by a user	16
3.1.2.9	Maximum blog length	16
3.1.2.10	Maximum number of User and Admin blog stories to be shown in homepage	16
3.1.2.11	Maximum comment length	16
3.1.2.12	Send email to online users.....	16
3.1.2.13	Manage some user fields.	16
3.1.2.14	Allow view online flag.....	17
3.1.2.15	Display About Me description in small profiles.....	18
3.1.3	<i>Calendar Controls</i>	18
3.1.3.1	Maximum number of events on month's day.....	18
3.1.3.2	Maximum number of events on weekdays and weekends	18
3.1.3.3	Maximum number of events on day view	18
3.1.4	<i>Mail Server and mail sending process settings</i>	18
3.1.4.1	Mail format	19
3.1.4.2	Type of Mail Server	19
3.1.4.3	SMTP Mail server and port and authorization details	19
3.1.4.4	Path to access Sendmail program	19
3.1.4.5	Enable mails Queue system	19

3.1.4.6	Number of emails to be sent in one batch by osDate Programs.....	20
3.1.4.7	Allow all users reply to received message.....	20
3.1.4.8	Delete un-flagged emails.....	20
3.1.4.9	Number of days to warn users of message deletion.....	20
3.1.4.10	Maximum number of messages one user can keep in the system	20
3.1.4.11	Send admin message to users when an action is taken	20
3.1.5	<i>Profile Images</i>	21


SECTION 3: ADMINISTERING OSDATE

osDate has many configurable options that are accessed through the administrator's panel:




3.1 Setting Site's Global Settings

osDate allows you to set many parameters which will affect general working of the system. This can be accessed by clicking *Site's Global Settings* link available in **Tools section** as shown below.



Let us examine these settings in detail.



There are seven main sections of settings available as shown above.

3.1.1 Site Information

Various parameters which govern the osDate working are defined here. You can modify the values to suit your site's requirements.

To change any parameter, click on the edit button available in the rightmost column for the particular parameter as given below.

Site Name	osDate	
-----------	--------	---

This will show editable field with saving button and ignore button as shown below.

Site Name	osDate	 
-----------	--------	---

Give correct value and save. After saving, Press on Reload button of the browser to see the changes.

3.1.1.1 Site Name

This is the site name which will be displayed in all pages in the header portion, e.g. you can change the default “**osDate**” to your choice of site name. However, please ensure your skin will support the size of name you want to use. Lengthy names may distort the look of the skin.

3.1.1.2 Site Title

This is the title of your site which will appear as part of the page title in the browser title bar. Please give small but meaningful title.

3.1.1.3 Site Banner

This is the logo which will replace the Site Name in the page header portion. This is available only in default templates provided with osDate distribution. The picture should be loaded into the template/yourskin/images and/images folders. For all practical purposes, this is not used any more as most skins (including the customized ones) will define a logo and provide space for Site Name.

3.1.1.4 Default Admin language

This is the default language to be used to display all admin related options and page headings and other template captions. To use this properly, the required language should be loaded into DB.

3.1.1.5 Cookie Prefix

This is the prefix to be assigned for the ‘cookies’ set in the browser of users’ that access your site. Typically this will be your site name without any spaces in between.

3.1.1.6 Site Administrator’s Name

This is the name of the Site’s Administrator. This name appears in all emails sent by admin to users.

3.1.1.7 Site Administrator's E-Mail

This is the email address used by the Site's email system as from address for all emails sent by your site. Hence, ensure this address is valid one and is recognized by the mail server you want to use.


3.1.1.8 Feedback Email Address

This is the email address used by the mail sending functions to send internal emails addressed to administrator. This email address will receive all Feedbacks, Support Requests, admin notifications, etc. Ensure this is a valid email address and can receive unlimited emails.

3.1.1.9 Copyright text

This is the copyright text which will appear at the bottom of all pages.

3.1.1.10 User Menu to be used



There are three options to display user menus. **Side Full Menu** will display the expanded Full Menu in the left or right side column, **Side Fold Menu** will display a Folded expandable menu in left or right side column and **Top Menu** will display the menu as a pull down menu at the top of the page, below header portion.

3.1.1.11 Admin Menu to be used

As user menu, Administrator menu system also can be set. All three options are available.

3.1.1.12 Display, but disable, menu items

Normally, the system will display only those options which are available to the user based on the membership level of the user. If you want to show all menu options to the user, but want to redirect the user to upgrade the membership level, then enable this option.

3.1.1.13 Banner advertisements in email

You may want to display banner advertisement in all those emails which the system may be sending to various users. Enable this flag for sending emails with banner advertisements in it.

3.1.1.14 Auto time-out

This is the time in minutes after which the user will be logged off, if the user has closed browser window without logging off. Set this value to a reasonable limit, 5 minutes.

3.1.1.15 Captcha Length

osDate requires a captcha code in certain screens where user data inputs are required. This is to control automatic forced entry methods and to possibly control spam. Set this value to a reasonable limit (6-9 characters are good). If you don't want to enforce captcha entries, give 0 as the number of characters of captcha.

3.1.1.16 Admin Notification

Set this flag to send an email to Administrator's email address (as given above) when a new user signs up. You need to set this flag if you have enforced profile approval system.

3.1.1.17 Disable caching mechanism

osDate provides for a limited caching mechanism for index and profile display pages. Caching the pages may improve performance, but it may take some system resource. As mysql caching can be set up and smarty templates compiled versions are cached automatically, you may disable caching mechanism in osDate.

3.1.1.18 Cached page life

This is the time in minutes after which the osDate cached pages will be refreshed. If you have enabled osDate internal caching, give a value which is reasonable. (30 minutes is OK)

3.1.1.19 Site theme/skin

Using this you can change the template theme you want to use with osDate. For this, your skin set should be uploaded to osdatehomedir/templates folder. Once your skin is available in /templates folder, it will be listed in the dropdown menu. Select the theme you want to use and save it. Then **Reload the page** to see changed skin.

3.1.1.20 New users section profile display method

This section display latest registered user profiles using the chosen profile display method. osDate provide for two types of profile display method for this section, Tiny and mini. **Tiny** will display 5 profiles in one line using a smaller version of the profile display. Set this based on your skin and available display space. **Mini** will display two profiles in one line (if space is sufficiently available for this display in the skin you are using).

3.1.1.21 Number of last new profiles to be displayed on home page

This is the number of latest profiles to be displayed in the home page. If you are using tiny as profile display method for this, set this number to multiples of **5**. Otherwise, set the number to multiples of **2**.

3.1.1.22 Profile display method for Featured Profiles display section

Same methods of New Profiles display section are available for Featured Profile display section also.

3.1.1.23 Number of Featured Profiles to be displayed on home page

Same method as available for New Profile display section should be applied for this too.

3.1.1.24 Profile display method for Recent Active Profiles display section

Same methods of New Profiles display section are available for Recent Active Profile display section also.

3.1.1.25 Number of Recent Active Profiles to be displayed on home page

Same method as available for New Profile display section should be applied for this too.

3.1.1.26 Profile display method for Random Profiles display section

Same methods of New Profiles display section are available for Random Profile display section also.

3.1.1.27 Number of Random Profiles to be displayed on home page

Same method as available for New Profile display section should be applied for this too.

3.1.1.28 Number of New Members to be listed

This is the number of usernames to be listed in the New Members Listing shown on the homepage.

3.1.1.29 New members to be listed for last xx days

This is the number of days used to calculate the Starting Date to take registered date of profiles to be considered as new profiles. For logged in users, the last logged date or this calculated date, whichever later, is considered as Starting Date for this calculation.

3.1.1.30 Number of latest views and winks to be listed

This is the number of views and winks to be listed in the respective report.

3.1.1.31 Latest views and winks to be listed since xx days

This is the number of days used to calculate the Starting Date to take the date of views/winks to be considered for listing. For logged in users, the last logged date or this calculated date, whichever later, is considered as Starting Date for this calculation.

3.1.1.32 Display list of xx events for the day

This is the number of events slated for the day to be listed in the Day's events display block. If you don't want to display this block, set this value to '0'.

3.1.1.33 Bypass user look gender matching in searches

When searches are performed, osDate looks for cross gender matching condition also. E.g. when a Man is searching for Woman, system checks to ensure the resulted Woman profile is also looking for a Man. If you set this flag to 'Y', system will bypass this cross verification process.

3.1.1.34 Use extended search heading given in question

osDate will use the Question description as caption for search fields if this is not enabled. When you define questions with extended search headings and if this flag is set, system will use the extended search heading as caption in search forms. This is useful to use small text as search caption instead of lengthy description of the question.

In the example given below screen shot, if this flag is not set to 'Y', system will display '*What best describe your eye color?*' as caption in search form. If this flag is set then system will display '*Eye Color*' as caption in search form which is more clear and smaller.

Modify Question

Id:	8
Question: *	What best describes your eye color?
Description:	
Guideline:	
Display Control:	Drop down list ▼
Maximum Length:	0
Mandatory:	No ▼
Section:	Physical Appearance ▼
Include in Extended Search:	Yes ▼
Extended Search Header:	Eye color
Gender:	Any Gender ▼
Enabled:	Yes ▼

[Submit](#) [Reset](#)

3.1.1.35 Default sort order for searches

You can set default sort order to display search results as shown below.

Use extended search heading given in question in place of question description in search page?	Y	
Default sort order for search results	Username	
Advanced search results to be shown using which profile display? (tiny/mini)	Username	
Simple search results to be shown using which profile display? (tiny/mini)	Age	
MyMatches results to be shown using which profile display? (tiny/mini)	Login Time	
Installed forum	Online	
	Membership Level	

You can set UserName or Age or Last Login Time or Online Flag or Membership Level as default sort order. Though this is default sort order, you can sort the search result using the option available in the search result screen also as shown below

[Home](#)
[Members](#)
[Localities](#)
[Content](#)
[Financial](#)
[Tools](#)
[Affiliates](#)
[Plugins](#)

Search Results

Total Profiles Found: 10

Sort by: Username Results Per Page: 5

Showing: Username
Age
Login Time
Online
Membership Level

Anna14 22 Woman, United States Active within 1 month	BigWill 22 Man, United States Not Recently Active	faisal 28 Man, United States Active within 3 Days	JaruGT 37 Man, United States Not Recently Active
--	---	---	--

Page 1 of 2 [Next -->](#)

3.1.1.36 Profile display method to be used to show Advanced search results

Like Featured profiles section display method, advanced search results can also be shown using either **Tiny** or **Mini** profile display method.

3.1.1.37 Profile display method to be used to show Simple search results












Like Featured profiles section display method, simple search results can also be shown using either **Tiny** or **Mini** profile display method.

3.1.1.38 Profile display method to be used to show MyMatches Search results

Like Featured profiles section display method, MyMatches search results can also be shown using either **Tiny** or **Mini** profile display method.

3.1.1.39 Installed forum

osDate can connect with the following forum software: phpBB2 and phpBB3, vBulletin, myBB 1.2 and myBB 1.4, Phorum and SMF1.1. If you have installed any forum from this list, select the same as shown below. Select None if you haven't installed any forum.

MyMatches results to be shown using which profile display? (tiny/mini)	tiny	
Installed forum	<div>None</div>	 
Forum path (relative to osDate root e.g. forum/phpBB2)	<div>None</div>	
Show forum page in same window?	phpBB	
Flashbb is installed with the Forum of your choice?	vBulletin	
Use javascript popups for profiles?	myBB 1.2	
Feedback only from logged in user?	Phorum	
Accept support requests?	phpBB3	
Enable shoutbox?	myBB 1.4	
	SMF 1.1	
	N	

3.1.1.40 Forum path

This is the folder in which you have installed the forum software. The path should be given as a relative path to osDate home directory.

3.1.1.41 Show forum in the same window

If you want to display the forum in a frame inside main osDate screen itself, set this flag. Otherwise, system will open a new window to show forum pages.

3.1.1.42 FlashBB is installed with the forum

This flag will tell the system if you have installed flashBB with the phpBB. If flashBB is installed, set this flag so that osDate will directly start flashBB.

3.1.1.43 Use javascript popups for profiles

If you want to display profiles in a separate popup window, set this flag. If this flag is not set, system will display profile as part of the main window itself.

3.1.1.44 Feedback only from logged in user

If you want to restrict accepting of feedback only from logged in users, then set this flag. Otherwise, visitors will be able to send feedback.

3.1.1.45 Accept support requests

osDate can accept support request from logged in users. This is useful to get any support requests, complaints or suggestions. This is in addition to the available Feedback form. If you want to allow users to send support requests, enable this flag.

3.1.1.46 Enable shoutbox

If you want to enable the shoutbox, set this flag. Shoutbox will use heavy system resources.

3.1.1.47 Shoutbox refresh interval

This is the time interval in minutes to refresh shoutbox messages. This is used only if shoutbox is enabled.

3.1.1.48 Number of shoutbox messages to be displayed

This is the number of latest shoutbox messages to be displayed in the shoutbox window. Set this value to be reasonable, as the shoutbox uses a lot of resources. This is used only when shoutbox is enabled.

3.1.1.49 Maximum number of shoutbox messages to be kept in system

This is the maximum number of shoutbox messages to be kept in the system. Keep a reasonable limit for this. Otherwise, you may find your system is over burdened. This is used only when shoutbox is enabled.

3.1.1.50 Number of latest messages to be shown to the user

This is the number of latest IM messages to be shown to the user. Set this to a reasonable limit.

3.1.1.51 Number of IM messages to be kept in the system received by one user

This is the maximum of IM messages to be kept in the system by the receiving user. When a user receives a message above this limit, system will delete older messages. Set this value to a reasonable limit which will remove older emails automatically to make space for newer ones.

3.1.1.52 Maximum length of one message for IM

This is the length of an IM message in characters.

3.1.1.53 Interval for refreshing of IM messages

This is the interval, in seconds, between automatic refresh of IM messages.

3.1.1.54 Number of stories to be shown in menu panel listing

This is the number of stories to be shown in the left/right panel Stories display Block. Set this to a reasonable value based on your site's design and volume of data.

3.1.1.55 Number of words to display in short story

This is the number of words of each short story to be shown in the left/right side panel Stories display Block.

3.1.1.56 Allow management of countries/states/cities

This flag tells if system should allow management of Countries and States and Cities. If you have pre-loaded these data and do not want to allow management of these, disable this flag.

3.1.1.57 Starting and ending number of years for birth date field calculation

These are the maximum and minimum age. Basically these two values will decide the age range. The maximum age is the Starting Value and the minimum age is the End value.

3.1.1.58 Default value for start age and end age range in quick search

These are the starting age and ending of the age range to be used for simple/quick search

3.1.1.59 Number of words to display in short article text

This is the number of words to be displayed as short text for each article

3.1.1.60 Number of news items to display

This is the number of news to be shown in the news listing block in left/right column.

3.1.1.61 Number of words to display in short news

This is the number of words to be displayed from each news in the short news display block of left/right column.

3.1.1.62 Price per referral for affiliates

This is the price to be paid for each referral coming from affiliates. If you don't want to calculate the amount, set this to 0. This is just the amount used to calculate total payment needed, but doesn't pay anything to affiliate. **This is just used for calculation purpose only.**

3.1.1.63 Default status of new affiliate

When an affiliate is created, the status will be inactive until the affiliate confirm back to Admin. This can be bypassed and the affiliate made active automatically if this flag is set.

3.1.1.64 Maximum allowed height and width of the Banner

This defines the maximum allowed banner width and height in pixels. These fields are accepted separately, i.e height and width are to be entered separately.

3.1.1.65 Server time zone

This is the time difference from GMT of the server where your site is hosted and should be expressed based on the Server Time e.g. for India, time zone will be expressed as +4.30. This difference is used to calculate and display the times in user's emails and other interfaces.

3.1.2 User Management Controls

Home	Members	Localities	Content	Financial	Tools	Affiliates	Plugins
Global Configurations							
Global Settings Group: User Controls							
Global Configurations > User Controls							
Description				Value		Edit	
Bypass registration confirmation by the user?				N			
By default, profile to be active or not?				Y			

This section of site's global settings will set all user profile related controls.

3.1.2.1 Bypass registration confirmation by the user

osDate require new user to confirm their email address by clicking on the confirmation link given in the registration email. This is to verify the owner of the email has consented to be a member of the site. User profile will be in **inactive** status till email address is confirmed. If you don't want this restriction, but want all users to be active immediately upon registration, set this flag.

3.1.2.2 By default, profile to be active or not

osDate will keep all new profiles in inactive status until the member confirm the email address and admin approve the profile. When you are getting too many new signups, it may be difficult to approve each profile by admin. If you want to avoid the requirement of admin approval of profiles, enable this flag.

3.1.2.3 When a profile is modified, make status "Pending" for admin approval

Users are allowed to modify their profile information. It may happen that users may enter something in their profile which may be against the general site's rule and/or other unwanted information. To ensure the modified data is not against general site's working, you can set this flag to force admin approvals for changes in profiles. However, if you enable this flag, the profile will be in **'inactive'** status until admin approve the changes. However, newly modified changes will be in the profile and you can't revert back to original data and you will need to work with the user to rectify the derogatory wordings in the profile.

3.1.2.4 The default level of access to the use

You can set a default membership level for all users when the profile is made active (either by way of email confirmation or activation by admin). The default membership level is needed to be set. This should not be the **'Visitor'** level.

3.1.2.5 The level of access for the user after current level expires

When a user's current membership level expire, that user will be assigned rights of this level. Typically this will be the level given for **Default Level**. Though the level of the user will not be changed when current membership level expire, system will assign the rights given for the membership level given here. E.g. if you give '**Free**' level for this and if the user was in '**Gold**' or any other level with more rights than '**Free**' level, system will assign the rights for '**Free**' level to the user once the higher level expire, **but will not change the membership level of the user in the system**.

3.1.2.6 Minimum and Maximum password length

Enter the maximum and minimum number of characters you want for the user password field. System will check this and make the password invalid if these conditions are not met.

3.1.2.7 Minimum and Maximum username length

Enter the maximum and minimum number of characters you want for the username field. System will check this and make the username invalid if these conditions are not met.

3.1.2.8 Maximum number of Blog Stories by a user

This is the number of blog stories a user can create in his/her blog, if blog is allowed in the membership level of the user.

3.1.2.9 Maximum blog length

This is the maximum number of characters a blog story can contain. Limiting this size is a good idea.

3.1.2.10 Maximum number of User and Admin blog stories to be shown in homepage

These are the maximum number of blog stories that can be displayed in the home page Blog listing Block. Set this to a good number to suit your skin size.

3.1.2.11 Maximum comment length

This limits the number of characters for comments given for profile, blogs etc.

3.1.2.12 Send email to online users

System will send emails to users when admin send messages or when other users communicate to the user. You may disable this default behavior and set it not to send emails when a user is online, but send the message to their Message Box only. This setting will save much system resource and your mail server will not be used. If you disable this flag, emails will be sent to the user's Internal Message box when the user is online.

3.1.2.13 Manage some user fields.

You can set following fields of the profile as not needed. This will allow some sites to accept minimum required profile information to a limited number of fields.

- a) First Name
- b) Last Name
- c) Country
- d) State
- e) County
- f) City
- g) Zip Code
- h) Time Zone
- i) About me
- j) Address line 1 and 2
- k) Looking for gender
- l) Looking for age range
- m) Looking Country
- n) Looking State
- o) Looking County
- p) Looking City
- q) Looking Zip Code

Same way, following fields can be made mandatory if these are set to be accepted.

- a) First Name
- b) Last Name
- c) Country
- d) State
- e) County
- f) City
- g) Zip Code
- h) Time Zone
- i) About me
- j) Looking Country

Further you can set default values for following fields if they are set to be accepted.

- a) Country
- b) State
- c) County
- d) City
- e) Zip Code





3.1.2.14 Allow view online flag

When a user is online, system will include that user in the online users list. The user can disable this flag so that the user will not be listed in online users list. You may set in admin to accept this field or not and make it mandatory, if desired. By default, this flag is enabled for all profiles.

3.1.2.15 Display About Me description in small profiles

A small portion of about me can be displayed in small profile displays if this flag is enabled. However, you must take care of the design of small profiles of used skin display before enabling this flag.

3.1.3 Calendar Controls

Global Configurations		
Global Settings Group: Calendar Controls		
Global Configurations > Calendar Controls		
Description	Value	Edit
Maximum number of events on month's day	4	
Maximum number of events on weekdays	23	
Maximum number of events on weekends	12	
Maximum number of events on day view	40	

You can set values for calendar management as show above and explained below.

3.1.3.1 Maximum number of events on month's day

This set the number of events to be listed in one day in Month View of Calendar.

3.1.3.2 Maximum number of events on weekdays and weekends

This set the maximum number of events that can be listed in weekdays and weekends in Week View of Calendar. Set this number to a practical size based on the skin display.

3.1.3.3 Maximum number of events on day view

This is the number of events listed in a Day View of Calendar.

3.1.4 Mail Server and mail sending process settings

osDate allows admin and user to send emails to users. For successful working of mail sending process, following parameters can be set according to your need and server settings.

Global Configurations		
Global Settings Group: Mail Settings		
Global Configurations > Mail Settings		
Description	Value	Edit
Send email when a profile is added to featured profile list?	Y	
Send email when a wink is received by a user?	Y	
Send email when a message is received by a user?	Y	
Send email when a user is added to hotlist by another user?	Y	
Send email when a user is added to buddylist by another user?	Y	
Send email when a user is added to banlist by another user?	Y	
Send email when a user profile is reactivated?	Y	
Allow all users reply to received message?	N	
Delete un-flagged emails older than XX days	30	
Maximum number of messages one user can keep in the system	100	
Number of days to warn users of message deletion	5	
Send email when a blog comment is received by a user?	Y	
Enable Queue system of emails internally in osDate?	Y	
Number of emails to be sent through mail server at one time? (0=all)	0	
Mail format (html or text)	text	
Mail type (mail or smtp or sendmail)	MAIL_TYPE	
SMTP Mail server	SMTP_HOST	
Port in SMTP Mail Server	SMTP_PORT	
SMTP Mail server require authorization or not	SMTP_AUTH	
SMTP Mail server username	SMTP_USER	
SMTP Mail server password	*****	
Sendmail program location	SM_PATH	
Number of emails to be sent in one batch by osDate Programs	10	

3.1.4.1 Mail format

osDate allows you to use either **html** or **text** mail format for sending emails to users. If you allow html format, you can add your own banners and other advertisement materials in it. Please see `osdatehomedir/templates/yourskin/html_emails.tpl` file to modify as you need.

3.1.4.2 Type of Mail Server

osDate allows to use either smtp or sendmail or php default mail server for sending emails. You need to set the correct mail server type.

3.1.4.3 SMTP Mail server and port and authorization details

If you are using SMTP Server, enter your SMTP mail server url with the correct port. On some mail servers, you may need authorization to send emails. In this case, enable the SMTP Server authorization requirement and enter username and password to access mail server.

3.1.4.4 Path to access Sendmail program

Enter the path to sendmail program, if available. Otherwise, enter `./` as value.

3.1.4.5 Enable mails Queue system

Some mail servers limit number of emails to be sent at a time by sites. osDate allows you to set number of emails to be sent in one batch through the mail server. osDate will keep all emails in a queue management system and will send those emails to the mail server periodically based on the count. However, for this system to work, you must set the cron job to send mails to mail server periodically. Set the flag to enable queue management and set the count of emails also.

3.1.4.6 Number of emails to be sent in one batch by osDate Programs

osDate allows you to limit the number of emails that can be sent by various programs at a time. This is to limit system resources as some servers may timeout and may terminate in between.

3.1.4.7 Allow all users reply to received message

If you want to allow all users to read received messages even though they may not have rights to access messages according to their membership level, set this flag.

3.1.4.8 Delete un-flagged emails

osDate deletes older messages automatically which are not flagged. Set the number of days for calculating the age of the emails to be deleted. System will delete all un-flagged messages which are older than this days.

3.1.4.9 Number of days to warn users of message deletion

Set the number of days to raise warning signal to users that their un-flagged messages will be deleted. Set this value to a reasonable level. System will display warning message to the user whenever the user access the messaging system.

3.1.4.10 Maximum number of messages one user can keep in the system

This sets the maximum number of messages that can be kept in the system by the user. This messages count include all emails in all folders, including deleted folder. The user should delete messages from deleted folder to completely remove message from system. This is kept this way as a precaution.

3.1.4.11 Send admin message to users when an action is taken

System can send message to the users when following actions are taken by the admin. Set the appropriate flags to send the message to the user.

- a) When a profile is added to the Featured Profiles list
- b) When a wink is received by a user
- c) When a message is received by a user
- d) When a profile is added to Hot list by other user
- e) When a profile is added to Friends list by other user
- f) When a profile is added to Ban List by other user

- g) When a user profile is reactivated
- h) When a comment is received for the blog story of the user

3.1.5 Profile Images

Global Settings Group: Profile Images and Thumbnails		
Global Configurations > Profile Images and Thumbnails		
Description	Value	Edit
Number of newest loaded profile pictures to be displayed.	20	
Newest loaded profile pictures to be shown using which display method? (tiny/mini).	tiny	
Number of profiles to be displayed in the IP Location	10	
Profile in IP Location to be shown using which display method? (tiny/mini).	tiny	
Profile to be displayed within xx miles/kilometers radius of IP Location? (xxM/xxK)	50	
Display profiles within xx miles/kilometers of Zip Code given for simple search? (xxM/xxK)	50	
Pictures must be approved before it is displayed?	Y	
Images are to be stored in DB?	N	
Accept profile picture when signup?	N	
Accept profile picture Compulsorily when signup?	N	
Maximum width of display of profile image (pixels)	250	
Maximum height of display of profile image (pixels)	350	
Thumbnail image size (pixels)	100	
Maximum size for picture (bytes)	400000	
Upload image extensions	jpg,png,gif	
Video display window width (pixels)	600	
Video display window height (pixels)	400	
Delete thumbnail also when main picture is deleted?	Y	
Snaps watermark text	WaterMark	
Snaps watermark image file. (e.g. /images/watermark.jpg) Either the Text or Image can be given. If text is given, it will override image file		
Watermark image intensity (in percent)	60	
Snaps watermark horizontal position <left/right/center>	right	
Snaps watermark vertical position <top/middle/bottom>	bottom	
Snaps watermark margin (pixels)	10	
Put shadow around snaps watermark text?	Y	
Snaps watermark text color	#ffffff	
Number of thumbnail pictures to be displayed in user picture gallery in one row	5	
Send email to Admin when a new picture is loaded by user?	Y	
Send email to user when a new picture is approved/rejected by admin?	N	
Send email to Admin when a new video is loaded by user?	Y	
Send email to user when a new video is approved/rejected by admin?	N	

You can manage various parameters for profile displays and processes of pictures and videos management as shown above and explained below.